



# Oras Polara

INSTALLATION AND MAINTENANCE GUIDE



Water Is Worth Loving.



## Contents

**LT** Turinys  
**LV** Saturs

**PL** Spis treści  
**RO** Cuprins

**RU** Содержание


**UA** Зміст



Technical data .....	4
Installation .....	5–6
Operation.....	7
Maintenance.....	7–11
Spare parts.....	12


## 1400F

EN 817  
I (ISO 3822)  
100 - 1000 kPa  
0.1 l/s (300 kPa with flow controller)  
max. +90°C



## 1411F

EN 817  
I (ISO 3822)  
100 - 1000 kPa  
0.1 l/s (300 kPa with flow controller)  
max. +90°C






# Installation

LT Montavimas  
LV Montāža


PL Instalacja  
RO Instalare

RU Установка

UA Встановлення



1




# Installation

LT Montavimas  
LV Montāža

PL Instalacja  
RO Instalare

RU Установка




UA Встановлення



19

8

2




## Operation

**LT** Veikimo principas  
**LV** Darbības princips

**PL** Działanie  
**RO** Funcționare


**RU** Принцип действия **UA** Принцип дії



## Cleaning/changing the aerator

**LT** Aeratoriaus valymas ir pakeitimas  
**LV** Aeratora tīrīšana/maiņa  
**PL** Czyszczenie/Wymiana perlatora



**RO** Curățirea/Înlocuirea aeratorului  
**RU** Очистка и замена аэратора  
**UA** Чищення та заміна аератора



## To change the cartridge

LT Valdančiosios kasetės pakeitimas  
LV Regulēšanas mehānisma kasetes maiņa  
PL Wymiana modułu sterującego

RO Înclocuirea cartușului  
RU Замена регулировочного блока  
UA Заміна регулювального блоку





## Limiting the flow rate

LT Vandens srovės reguliavimas


LV Ūdens plūsmas ierobežošana

PL Ograniczenie wielkości strumienia

RO Limitarea debitului


RU Регулирование потока

UA Регулювання потоку



2,5


① ④




## Limiting temperature

LT Temperatūros apribojimas  
LV Karstā ūdens temperatūras ierobežošana  
PL Ograniczenie temperatury  
RO Limitarea temperaturii

RU Ограничение температуры в регулирующем блоке  
UA Обмеження температури в регулюючому блоці



①





## Cleaning the faucet

LT Maišytuvo valymas  
LV Krāna tīrīšana

PL Czyszczenie baterii  
RO Curățire

RU Чистка смесителя  
UA Чищення змішувача



## Spare parts

LT Atsarginės dalys  
LV Rezerves daļas


PL Części zamienne  
RO Piese de schimb

RU Запасные части

UA Запасні частини

### 1400F, 1411F

- 1 602510V
- 2 601967V
- 3 601968V
- 4 601973V
- 5 601969V
- 6 601970V
- 7 601971V
- 8 601974V
- 9 602511V









Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands, Oras and Hansa.

The head office of the Group is located in Rauma, Finland, and the Group has four manufacturing sites: Burglengenfeld (Germany), Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1400 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.

ORAS GROUP

Isometsäntie 2, P.O. Box 40

FI-26101 Rauma

Tel. +358 2 83 161

Fax +358 2 831 6300

[info.finland@oras.com](mailto:info.finland@oras.com)

[www.oras.com](http://www.oras.com)



Water Is Worth Loving.